

SUBJECT INDEX

- Activation theories, 34–35
ACTS. See Auditory Comprehension Test for Sentences (ACTS)
Alcoholism, 129–135
Alzheimer-type dementia, 211–220
Amphetamine, 137–142
Anomia, 129–135
Aphasia. *See also* Language; Treatment
attention framework for, 31–36
and brain centers and pathways for linguistic information, 21–22
brain site and clinical type of, 9–10
comprehension impairment and, 111–119
computation or processing models of, 22–25
current paradigm of, 21–25
definitions of, 5–6
diagnosis of, 101–109
drug studies and, 11–13
historical development of study and treatment of, 4–6
lexical-semantic abilities and, 123–126
linguistics and, 10–11, 22
multidomain language deficits and, 25–28
performance factors and, 23–25
recovery from, subsequent to stroke, 137–142
research on, 9–13
stimulability and, 28
suggestions for clinicians working with, 17–20
suggestions for work with patients, 14–17
theory of, 21–36
transcortical motor aphasia, 145–156
variability in performance and, 28–29
- Apraxia of speech
historical development of approach to, 41–48
Japanese word accent and, 307–315
treatment of, 47–48
verbal plus gestural treatment for, 285–294
- Aprosodias, 169
- Articulatory movements, and Japanese word accent, 307–315
- Attention
control structure and, 31
framework for aphasia, 31–36
inefficient allocation of attention, 33–34
relationship with arousal and language processing units, 32
share attention among cognitive domains, 32–33
theory of, 30–31
threshold of activation of, 34–35
unequally distributed attention, 33
- Auditory Comprehension Test for Sentences (ACTS)*, 93, 94, 95
- Auditory processing, of sequential pitch and timing changes, 317–324
- Automatic processing, 35
- BDAE. See Boston Diagnostic Aphasia Examination (BDAE)*
BDAE. See Boston Diagnostic Aphasia Examination (BDAE)
BNT. See Boston Naming Test (BNT)
Boston Diagnostic Aphasia Examination (BDAE), 112, 131, 145, 148, 159, 171, 208, 328
Boston Naming Test (BNT), 93, 94, 96, 123–126, 147, 148, 149, 151, 202, 204, 206, 207, 224–225, 242, 243
- Brain
brain damage and humor, 53–59
brain site and clinical type of aphasia, 9–10

- centers and pathways for linguistic information, 21-22
- frontal opercular damage to, 317-324
- left-hemisphere damage of, 55
- model of brain function, 186-187
- representation of personal names in the right hemisphere of, 181-187
- right-hemisphere damage of, 54-55
- Brain damage**
- auditory processing of sequential pitch and timing changes following frontal opercular damage, 317-324
- humor and, 53-59
- Bromocriptine**, 145-156
- CACs**. *See* Clinical Aphasiology Conferences (CACs)
- CADL**. *See* *Communicative Abilities in Daily Living (CADL)*
- Category structure, and context**, 201-208
- Clinical Aphasiology Conferences (CACs)**, 1-7, 42-46, 48, 54, 167
- Clinical Aphasiology**, models of aphasia treatment in, 61-72
- Coloured Progressive Matrices (CPM)**, 93, 94, 95-96, 193, 300, 301-304
- Communication**. *See* Language
- Communicative Abilities in Daily Living (CADL)**, 299, 300, 301-304
- Comprehension deficits**, 111-119, 191-199
- Comprehension, of verb-noun commands**, 271-282
- Confrontation naming**, 211-220, 263-269
- Context**
- category structure and, 201-208
- sentence comprehension and, 111-119
- Controlled processing**, 35
- Convergent treatment (CT)**, 223-236
- Conversational discourse**. *See* Discourse tasks
- CPM**. *See* *Coloured Progressive Matrices (CPM)*
- CT**. *See* Convergent treatment (CT)
- Cues, for picture naming**, 263-269
- Dementia**, 211-220
- Depth cues, and inference**, 174-178
- Dexatrine**, 137
- Diagnosis of aphasia, from writing and drawing performance**, 101-109
- Discourse tasks**
- analysis of communicative functions, 343-352
- case study examples of, 336-339
- cohesion and verbal disruption, 334
- conversational discourse of aphasic and normal adults, 343-352
- discourse comparison study, 327-336
- information content and, 334
- sample task comparisons based on proposed protocol, 342
- syntactic parameters and, 329, 332-333
- syntactic well-formedness and semantic accuracy, 333-334
- Drawing performance, in diagnosis of aphasia**, 101-109
- Drug therapy**
- amphetamine, 137-142
- bromocriptine, 145-156
- dexatrine, 137
- research studies on, 11-13
- Ritalin, 12
- sodium amytal, 11
- Dysarthria**, 44, 46
- Dysfluency**, 129-135
- Dysphagia**, 44
- Ecological approaches to treatment**, 36
- Emotional impairments**, 169-170
- Follow-up after intensive treatment**, 299-306
- Frontal opercular damage**, 317-324
- Functional communication treatment model**, 66

- Gestural treatment, for aphasia and apraxia of speech, 285-297
- Ghent Overlapping Figures Test*, 175, 176-177
- Gollin Figures Test*, 175
- Hearing. *See* Auditory processing
- Humor, and brain damage, 53-59
- Hypnosis, 13
- Impulsivity, 170
- Inference
 - definition of, 168
 - depth cues and, 174-178
 - as vertical function, 179
- Inference failure, and right-hemisphere communication disorders, 167-179
- Japanese word accent, and apraxia of speech, 307-315
- Jokes. *See* Humor
- Language. *See also* Linguistics
 - analysis of communicative functions, 343-352
 - brain centers and pathways for, 21-22
 - comprehension deficits, 191-199
 - confrontation naming performance in dementia and aphasia, 211-220
 - conversational discourse of aphasic and normal adults, 343-352
 - discourse tasks, 327-342
 - effects of bromocriptine on, 145-156
 - elements of computations or processing in, 22-25
 - Japanese word accent and apraxia of speech, 307-315
 - lexical-semantic abilities and multiple sclerosis, 121-126
 - multidomain language deficits in aphasia, 25-28
 - naming deficits, 191-199
 - personal names in the right hemisphere, 181-187
 - relationship between attention, arousal and language processing units, 32
 - right-hemisphere communication disorders, 167-179
 - semantic and phonemic pre-stimulation cues and picture naming, 263-269
 - stimulability and, 28
 - time-delay procedure and comprehension of verb-noun commands, 271-282
 - variability in aphasic performance, 28-29
 - ventral lateral thalamotomy and, 157-165
- Laughter. *See* Humor
- Linguistic treatment model, 65
- Linguistics, 10-11, 22, 47. *See also* Language
- Loose training, 223-236
- Medications. *See* Drug therapy; and names of specific medications
- Minnesota Test for the Differential Diagnosis of Aphasia*, 159
- Minor-hemisphere mediation treatment model, 66
- Modality treatment model, 65
- Movement disorders, treatment of, 157-165
- Multiple sclerosis, and lexical-semantic abilities, 121-126
- Naming
 - category-specific naming deficits, 191-199
 - confrontation naming, 211-220, 263-269
 - personal names, 181-187
 - phonologically based treatment for naming deficits, 239-261
 - picture naming, 263-269
 - semantic and phonemic pre-stimulation cues and picture naming, 263-269
- Neglect, in right-hemisphere communication disorders, 172-173

- Nelson Reading Skills Test (NRST)*, 93, 94, 95
- Neurogenic dysfluency, 129–130, 133
- Nouns. *See* Naming; Personal names; Verb-noun commands
- NRST. See Nelson Reading Skills Test (NRST)*
- Oral language. *See* Language
- Peabody Picture Vocabulary Test (PPVT)*, 182, 192, 242, 243
- Peabody Picture Vocabulary Test-Revised (PPVT-R)*, 93, 94, 95
- Perception, and right-hemisphere communication disorders, 173–174
- Personal names, in the right hemisphere, 181–187. *See also* Naming
- Phonagnosia, 186
- Phonemic cues, and picture naming, 263–269
- Phonologically based treatment, for naming deficits, 239–261
- PICA. See Porch Index of Communicative Ability (PICA)*
- Picture naming, 263–269
- Pitch
 - auditory processing of sequential pitch, 317–324
 - Japanese word accent and pitch control, 307–315
- Porch Index of Communicative Ability (PICA)*, 78, 79, 123, 130, 138–142, 183, 242, 243, 286, 287, 300, 301–305
- PPVT. See Peabody Picture Vocabulary Test (PPVT)*
- PPVT-R. See Peabody Picture Vocabulary Test-Revised (PPVT-R)*
- Processing load, 35
- Processing treatment model, 66
- Prosody, 169
- Prosopagnosia, 170, 186
- Psychogenic dysfluency, 133
- Psychometrics. *See* Tests
- Raven's Coloured Progressive Matrices. See Coloured Progressive Matrices (CPM)*
- RCBA. See Reading Comprehension Battery for Aphasia (RCBA)*
- Reading Comprehension Battery for Aphasia (RCBA)*, 93, 94, 95
- Reporter's Test*, 93, 94, 95, 96
- Response elaboration training (RET), 223–236
- RET. *See* Response elaboration training (RET)
- Revised Token Test (RTT)*, 93, 94, 95–96
- RHD. *See* Right-hemisphere communication disorders
- Right hemisphere
 - functions of, 186–187
 - personal names and, 181–187
- Right-hemisphere communication disorders
 - causes of, 171–174
 - depth cues and inference, 174–178
 - inference failure and, 167–179
 - neglect in, 172–173
 - perception and, 173–174
- Ritalin, 12
- RTT. See Revised Token Test (RTT)*
- Semantic cues, and picture naming, 263–269
- Semantics. *See* Language
- Sentence comprehension, 111–119
- Sequential pitch, auditory processing of, 317–324
- Sodium amytal, 11
- Speech. *See* Language
- Speech Sounds Perception Test (SSP)*, 123–126
- SSP. See Speech Sounds Perception Test (SSP)*
- Standard Language Test of Aphasia*, 308
- Stimulability, 28
- Stimulation-facilitation treatment model, 35–36, 65, 77–78
- Street Completion Test*, 175, 176–178
- Stroke, recovery from aphasia subsequent to, 137–142
- Tests. *See also* names of specific tests
decision rules for psychometric criteria, 99

- decisions concerning, 91
- frequency of use of, 92–93
- psychometric criteria used in test development, 98
- psychometric evaluation of, 93–96
- Thalamotomy, ventral lateral, 157–165
- Time-delay procedure, and comprehension of verb-noun commands, 271–282
- Timing changes, and auditory processing, 317–324
- Token Test*, 79, 80, 130, 148, 149, 150, 159, 208, 224–225, 272. *See also Revised Token Test (RTT)*
- Transcortical motor aphasia, 145–156
- Treatment
 - amphetamine used in, 137–142
 - of apraxia of speech, 45–48
 - bromocriptine used in, 145–156
 - convergent treatment, 223–236
 - drug studies on, 11–13
 - ecological approaches to, 36
 - experimental analysis of aphasia treatment tasks, 78–89
 - functional communication model of, 66
 - linguistic model of, 65
 - long-term follow-up after intensive treatment, 299–306
 - loose training, 223–236
 - minor-hemisphere mediation model of, 66
 - modality model of, 65
 - models of, 61–72
 - phonologically based treatment for naming deficits, 239–261
 - processing model of, 66
 - response elaboration training, 223–236
 - stimulation-facilitation model of, 35–36, 65, 77–78
 - ventral lateral thalamotomy for treatment of movement disorders, 157–165
 - verbal plus gestural treatment for aphasia and apraxia of speech, 285–297
- Variability in aphasic performance, 28–29
- Ventral lateral thalamotomy, 157–165
- Verb-noun commands, comprehension of, 271–282
- Verbal abilities. *See* Language
- Verbal plus gestural treatment, for aphasia and apraxia of speech, 285–297
- Visual confrontation naming, 263–269
- VL thalamotomy. *See* Ventral lateral thalamotomy
- WAB. *See* *Western Aphasia Battery (WAB)*
- Wechsler Adult Intelligence Scale-Revised*, 123–126
- Wechsler Memory Scale*, 193
- Western Aphasia Battery (WAB)*, 102, 103, 138, 147, 181, 182, 202–204, 206, 224–225, 242, 243, 264, 272, 286, 287, 344, 345
- Word Fluency Test*, 93, 94, 96, 159
- Writing performance
 - aphasic naming deficits and, 239–261
 - in diagnosis of aphasia, 101–109